# PROJECT NOTES:

1. LOCATION:

- 2. PROPERTY REFERENCES: SOUTH ESSEX REGISTRY OF DEEDS
- 3. OWNER:
- 4. LAND SURVEYOR:
  - PLAISTOW, NH 03865 TEL: (603) 382-5065

E. BLAIS

5. ALL INFORMATION AS SHOWN WAS PRODUCED FROM THE TOWN OF SALISBURY INFORMATION, THE SOUTH ESSEX REGISTRY OF DEEDS OF DEEDS AND AN ON GROUND SURVEY BY SEC & ASSOCIATES OF PLAISTOW, NH IN FEBRUARY & MARCH OF 2021.

159 BEACH ROAD SALISBURY, MA. 01952

SEC & ASSOCIATES

SALISBURY MA.

159 BEACH ROAD - ROUTE 1A

BOOK 8710 PAGE 72 (1986)


EDWARD FOOTE, JR. & JOANNE


- 6. ANY UTILITY INFORMATION SHOWN ON THIS PLAN IS APPROXIMATE AND BASED ON VISABLE EVIDENCE AND AVAILABLE TOWN RECORDS. RELIABLE LOCATIONS SHOULD BE VERIFIED BY THE TOWN OF SALISBURY AND BY CALLING DIG SAFE AT 811.
- . PROPERTY IS NOT LOCATED WITHIN A DESIGNATED FLOOD HAZARD AREA AS SHOWN ON FLOOD INSURANCE RATE MAP NUMBER 25009C0129F PANEL 129 OF 600 EFFECTIVE DATE JULY 3, 2012.
- 8. PLAN BEARINGS ARE BASED UPON THE MASSACHUSETTS STATE PLANE COORDINATE SYSTEM (NAD83) - MAINLAND ZONE PER GPS OBSERVATIONS.
- 9. ALL ELEVATIONS REFER TO THE NORTH AMERICAN VERTICAL DATUM (NAVD88), PER GPS OBSERVATIONS.
- 10. THE PORTION OF THIS PARCEL CONTAINING REGISTERED LAND IS IN THE PROCESS OF BEING REMOVED FROM LAND COURT.


l	LEGEND
PROPERTY LINE	
ABUTTERS PROPERTY LINE	
EXISTING EDGE OF PAVEMENT	
EXISTING DRAIN MANHOLE	 Ø
EXISTING SEWER MANHOLE	 ©
EXISTING CONTOUR	
EXISTING WATER	W W
EXISTING HYDRANT	×
EXISTING GATE VALVE	 Ň
EXISTING SEWER	S S
EXISTING DRAIN	D D
EXISTING TREE LINE	
EXISTING CONCRETE	A
EXISTING TEST PIT	
EXISTING DRILL HOLE	• •
EXISTING IRON PIN	0
EXISTING BOUND	
EXISTING SIGN	<u> </u>
EXISTING SITE LIGHTING	¢
BUILDING SETBACK	
PROPOSED STRUCTURE	
PROPOSED CURB	
PROPOSED PAVEMENT	· · · · · · · · · · · · · · · · · · ·
PROPOSED CONCRETE	
PROPOSED CONTOUR	146
PROPOSED SPOT GRADE	× <u>161.00</u>
PROPOSED SPOT GRADE (TW/BW)	TW:159.57 BW:155.67
PROPOSED DRAIN	D D
PROPOSED SILT FENCE	X
PROPOSED RETAINING WALL	
PROPOSED OPEN SPACE	****
PROPOSED LANDSCAPE AREA	
PROPOSED WATER	W W
PROPOSED GATE VALVE/ REDUCER & HYDRANT	× > ×
PROPOSED GAS	G G
PROPOSED SEWER	
PROPOSED SEWER MANHOLE	S
PROPOSED ELECTRIC/TELEPHONE/CABLE	ETC ETC
PROPOSED MONUMENT	•
PROPOSED IRON PIN	۲
PROPOSED EASEMENT	
PROPOSED SIGN	<u> </u>


# SITE DEVELOPMENT PLANS FOR 159 BEACH ROAD

# (MAP 28 / LOT I) SALISBURY, MASSACHUSETTS 01952










			#503	40318-371
			/	
			- - - -	SO.ESSEX #503 Bk:40318 Pg:371 09/27/2021 01:49 PLAN Pg 1/1
		TOTAL AREA		# 503
		(TAX MAP 28 – LOT 1) AREA: 30,311–SF 0.70–AC.		B 40318-371
		REA REGISTERED LAND: 9,825-SF) (SEE NOTE 11)		9/27/2021
		EA UNREGISTERED LAND: 20,486–SI TOTAL FRONTAGE (B.R.): 417.61' TOTAL FRONTAGE (C.R.): 436.73'		FOR REGISTRY USE ONLY
				THIS PLAN WAS PREPARED IN ACCORDANCE WITH THE RULES AND
				REGULATIONS FOR RECORDING ADOPTED BY THE REGISTERS OF DEEDS IN 1978 AND AMENDED JANUARY 12, 1988.
<b>`</b>				SURVEYOR TOPN OF SALIS BURY DATE
				CORPORTAL UNDER THE SUBDIVIVION
7				Dhad I may
				AD Masiales
	$\backslash$			M.M.D.
$\backslash$				glaalai
$\backslash$				DATE OF ENDORSEMENT "ENDORSEMENT OF THIS PLAN SHALL NOT
		79+00		BE AN INDICATION, EXPRESS OR IMPLIED, THAT THE PARCELS OR STRUCTURES SHOWN ON THIS PLAN CONFORM TO
FOUND)	78+00			APPLICABLE ZONING, CONSERVATION COMMISSION OR BOARD OF HEALTH REQUIREMENTS"
				DATE DESCRIPTION REVISIONS
				PREPARED FOR (APPLICANT): LARKIN REAL ESTATE
				GROUP, INC. 383 MAIN STREET
				MEDFIELD, MA. 02052 PROJECT:
	PROJECT NOTES:	159 BEACH ROAD – ROUT	Έ 1Δ	159 BEACH ROAD
	1. LOCATION:	SALISBURY MA. LOT 76B, 76 & 76A)		TAX MAP 28 - LOT 1 SALISBURY, MA. 01952
	2. PROPERTY REFEREN	ICES: SOUTH ESSEX REGISTRY O DEEDS BOOK 8710 PAGE 72 (198		DATE ISSUED: SEPTEMBER 8, 2021
	3. OWNER:	EDWARD FOOTE, JR. & JO. F. BLAIS		PROJECT #: 21-10254
		159 BEACH ROAD SALISBURY, MA. 01952		PREPARED BY: WARREN A. WAGNER
	4. LAND SURVEYOR:	SEC & ASSOCIATES PLAISTOW, NH 03865 TEL: (603) 382-5065		
	TOWN OF SALISBUR	AS SHOWN WAS PRODUCED FROM	X	
	REGISTRY OF DEED: & ASSOCIATES OF OF 2021.	S AND AN ON GROUND SURVEY B PLAISTOW, NH IN FEBRUARY & M.	ARCH	ALDERTY Y S RAUDLE Mol ALAST
		DING AS SHOWN WILL BE RAZED. MATION SHOWN ON THIS PLAN IS		
250—A TH ESSEX	APPROXIMATE AND AVAILABLE TOWN R	BASED ON VISABLE EVIDENCE AN RECORDS. RELIABLE LOCATIONS SH IE TOWN OF SALISBURY AND BY C	OULD	PROFESSIONAL LAND SURVEYOR FOR CIVIL DESIGN CONSULTANTS, INC.
MARCH 1, SISTRY OF	DIG SAFE AT 811. 8. PROPERTY IS NOT	LOCATED WITHIN A DESIGNATED F	LOOD	CIVIL DESIGN
– PLAN NO.	HAZARD AREA — A	AS SHOWN ON FLOOD INSURANCE )9C0129F PANEL 129 OF 600 EFFI	RATE	SURVEY - DESIGN - PERMITTING - CONSTRUCTION ADMINISTRATION
D, DATED REGISTRY 33 PLAN	9. PLAN BEARINGS AF STATE PLANE COO	RE BASED UPON THE MASSACHUSI RDINATE SYSTEM (NAD83) - MAIN	ETTS ILAND	344 North Main Street         Tel: (978) 416-0920           Andover, MA 01810         Fax: (978) 416-7865
ED AUGUST	OF COMPLIANCE W	SERVATIONS. OF THIS PLAN IS NOT A DETERMI ITH THE TOWN OF SALISBURY ZON		DRAWING TITLE: PLAN OF LAND
6 PLAN NO.	BY-LAW. 11. THE PORTION OF T LAND IS IN THE PE	THIS PARCEL CONTAINING REGISTER ROCESS OF BEING REMOVED FROM	RED LAND	(APPROVAL NOT REQUIRED)
OUNTY SOUTH IN PLAN	COURT.	42'-50'-25") AND LONGITUDE (W	_, ,, ,,	
0. 1543–3	70°-50'-02") REPI	RESENTS THE APPROXIMATE CENTI DING ON SITE (159 BEACH ROAD).	ER OF	ANR-1
LTERATION				
				-


LOCATION:	159 BEACH ROAE (TAX MAP 28 /	
ZONE:	BEACH COMMERC (BC)	IAL/RESIDENTIAL
OVERLAY DISTRICT:	WIRELESS COMMUNICATION DISTRICT C ADULT ENTERTAINMENT DISTRICT	
EXISTING USE:	COMMERCIAL	
PROPOSED USE:	RESIDENTIAL	
ITEM	BC RES	PROVIDED
MINIMUM LOT AREA		6,555-SF±
MINIMUM LOT FRONTAGE		100.0-FT
MINIMUM FRONT SETBACK	5-FT	20-FT
MINIMUM SIDE SETBACK	10-FT <sup>(1)</sup>	10-FT
MINIMUM REAR SETBACK	10-FT <sup>(1)</sup>	5.2-FT
MAX. BUILDING COVERAGE	90%	49%
MAXIMUM HEIGHT	35-FT	34-FT 6-IN
MINIMUM PARKING SPACES <sup>(2)</sup>	2/DWELLING	2/DWELLING


- COORDINATE SYSTEM (NAD83) MAINLAND ZONE PER GPS
- (NAVD88) PER GPS OBSERVATIONS.
- LAID AT SUCH AN ELEVATION THAT THE CROWN OF THE SEWER IS AT LEAST 18 INCHES BELOW THE INVERT OF THE WATER MAIN. IF THE ELEVATION OF THE SEWER CANNOT BE VARIED TO MEET THIS SEPARATION OR CONSTRUCTED WITH MECHANICAL JOINT PIPE FOR A JOINTS WILL BE AS FAR FROM THE SEWER AS POSSIBLE. WHENEVER IT BOTH THE WATER MAIN AND SEWER SHALL BE ENCASED IN CONCRETE FOR A MINIMUM DISTANCE OF 10 FEET FROM THE CROSSING POINT OF THE OTHER PIPE AS MEASURED NORMALLY FROM ALL POINTS ALONG THE PIPE.
- TOWN PRIOR TO INSTALLATION.
- SPECIFIED.
- APPROVED BY THE UTILITY COMPANY PRIOR TO THE START OF CONSTRUCTION.
- COMPLETION OF CONSTRUCTION.
- PLAN PREPARED BY RICHARD KATTMAN.




## PROJECT NOTES:


- 2. PLAN BEARINGS ARE BASED UPON THE MASSACHUSETTS STATE PLANE COORDINATE SYSTEM (NAD83) - MAINLAND ZONE PER GPS
- 3. ELEVATIONS ARE BASED UPON THE NORTH AMERICAN VERTICAL DATUM
- 4. THE CONTRACTOR IS TO VERIFY THE LOCATION, DEPTH, AND CONDITION
- LAID AT SUCH AN ELEVATION THAT THE CROWN OF THE SEWER IS AT LEAST 18 INCHES BELOW THE INVERT OF THE WATER MAIN. IF THE ELEVATION OF THE SEWER CANNOT BE VARIED TO MEET THIS SEPARATION OR CONSTRUCTED WITH MECHANICAL JOINT PIPE FOR A DISTANCE OF 10 FEET ON EACH SIDE OF THE SEWER. ONE FULL LENGTH OF WATER MAIN SHALL BE CENTERED OVER THE SEWER SO THAT BOTH JOINTS WILL BE AS FAR FROM THE SEWER AS POSSIBLE. WHENEVER IT IS IMPOSSIBLE TO OBTAIN VERTICAL SEPARATION AS STIPULATED ABOVE, BOTH THE WATER MAIN AND SEWER SHALL BE ENCASED IN CONCRETE FOR A MINIMUM DISTANCE OF 10 FEET FROM THE CROSSING POINT OF THE OTHER PIPE AS MEASURED NORMALLY FROM ALL POINTS ALONG THE PIPE.
- TOWN PRIOR TO INSTALLATION.
- 7. ALL BENDS IN WATER MAIN ARE 45 DEGREES UNLESS OTHERWISE SPECIFIED.
- APPROVED BY THE UTILITY COMPANY PRIOR TO THE START OF CONSTRUCTION.
- COMPLETION OF CONSTRUCTION.
- PLAN PREPARED BY RICHARD KATTMAN.
- LAYOUT MUST RECEIVE APPROVAL FROM MASSDOT PRIOR TO THE START OF CONSTRUCTION.






- AND SEDIMENT CONTROL DEVICE AS SHOWN ON THE PLAN. ALL EROSION CONTROL DEVICES SHALL BE MAINTAINED IN EFFECTIVE CONDITION DURING CONSTRUCTION. CONTRACTOR IS RESPONSIBLE FOR COMPLYING WITH THE TERMS AND CONDITIONS OF THE PERMIT DOCUMENTS.
- THE CONTRACTOR IS RESPONSIBLE FOR THE TIMELY INSTALLATION, INSPECTION, MAINTENANCE, AND/OR REPLACEMENT OF ALL TEMPORARY AND PERMANENT EROSION CONTROL DEVICES TO ENSURE PROPER OPERATION THROUGHOUT THE LIFE OF THE PROJECT. THE CONDITION OF EROSION CONTROL MEASURES SHALL BE CHECKED
- 3. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO CLEAN ROADS, CONTROL DUST, AND TAKE ALL NECESSARY MEASURES TO ENSURE THAT THE SITE AND ALL ROADS BE MAINTAINED IN A MUD AND DUST-FREE CONDITION OF PUBLIC WORKS. METHODS SHALL INCLUDE, BUT NOT BE LIMITED TO, SWEEPING OF THE STREET AND APPLICATION OF WATER TO CONTROL DUST.
- ALL PROPOSED CONSTRUCTION ENTRANCE SHALL BE CONSTRUCTED AS SHOWN ON THE PLANS AND DETAILS. TO REDUCE THE TRACKING OR FLOWING OF SEDIMENT ONTO THE SURROUNDING ROADWAYS.
- DEVELOPMENT PLANS. SILT FENCE SHALL ALSO BE INSTALLED AROUND ANY SOIL STOCKPILE AREAS.
- AND OTHER EXISTING VEGETATION SHALL BE RETAINED WHEREVER FEASIBLE.
- IS TO RESUME WITHIN TWENTY-ONE (21) DAYS. THE RECOMMENDED TEMPORARY SEEDING DATES ARE MARCH 1 TO JUNE 15 AND AUGUST 15 TO OCTOBER 1.
- IN THAT AREA HAS PERMANENTLY CEASED.
- SILT SACKS INSTALLED TO PREVENT SEDIMENT FROM ENTERING THE PROPOSED STORM DRAINAGE SYSTEM PRIOR TO PERMANENT STABILIZATION OF THE DISTURBED SITE. THE PROPER INLET PROTECTION DEVICES SHALL BE INSTALLED WHERE STORM DRAIN INLETS ARE TO BE MADE OPERATIONAL BEFORE PERMANENT STABILIZATION OF
- 2022 EDITION, AND VOLUME TWO OF THE MASSACHUSETTS STORM WATER MANAGEMENT HANDBOOK.
- CONSTRUCTION DEBRIS (INCLUDING, BUT NOT LIMITED TO, INSULATION, WIRING, PAINTS AND PAINT CANS, AS APPROVED BY THE LOCAL DEPARTMENT OF PUBLIC WORKS. IN ADDITION, CONSTRUCTION WASTE MUST BE PROPERLY DISPOSED OF IN A COVERED DUMPSTER IN ORDER TO AVOID EXPOSURE TO PRECIPITATION AT THE END OF EACH WORKING DAY.
- 12. NO DUST WILL BE ALLOWED ON OR OFF WORK SITE. CONTRACTOR MUST CONDUCT CONTINUOUS EFFORT TO CONTROL DUST. LACK OF DUST CONTROL COULD CAUSE THE PROJECT TO BE STOPPED UNTIL ISSUES ARE RESOLVED. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO CONTROL DUST AND TAKE ALL NECESSARY LIFE OF THE CONTRACT IN A MANNER APPROVED BY THE LOCAL DEPARTMENT OF PUBLIC WORKS. DUST CONTROL CAN BE MAINTAINED BY APPLICATION OF WATER, OR OTHER MEANS APPROVED BY THE LOCAL DEPARTMENT OF PUBLIC WORKS.
- 13. REPAIRS OR REPLACEMENT OF DRAINAGE STRUCTURES, RIP RAP CHANNELS, OR OTHER ELEMENTS OF THE FACILITY SHOULD BE DONE WITHIN 14 DAYS OF DEFICIENCY REPORTS. IF AN EMERGENCY SITUATION IS IMMINENT
- INSPECT ALL ON-SITE STORMWATER MANAGEMENT FACILITIES AND CLEAN AND FLUSH AS NECESSARY.










- WHERE SANITARY SEWERS CROSS WATER MAINS, THE SEWER SHALL BE LAID AT SUCH AN ELEVATION THAT THE CROWN OF THE SEWER IS AT LEAST 18 INCHES BELOW THE INVERT OF THE WATER MAIN. IF THE ELEVATION OF THE SEWER CANNOT BE VARIED TO MEET THIS REQUIREMENT, THE WATER MAIN SHALL BE RELOCATED TO PROVIDE THIS SEPARATION OR CONSTRUCTED WITH MECHANICAL-JOINT PIPE FOR A DISTANCE OF 10 FEET ON EACH SIDE OF THE SEWER. ONE FULL LENGTH OF WATER MAIN SHALL BE CENTERED OVER THE SEWER SO THAT BOTH JOINTS WILL BE AS FAR FROM THE SEWER AS POSSIBLE. WHENEVER IT IS IMPOSSIBLE TO OBTAIN VERTICAL SEPARATION AS STIPULATED ABOVE, BOTH THE WATER MAIN AND THE SEWER MAIN SHALL BE ENCASED IN CONCRETE FOR A MINIMUM DISTANCE OF 10 FEET FROM THE CROSSING POINT OF THE OTHER PIPE AS MEASURED NORMALLY FROM ALL POINTS ALONG THE PIPE.
- 3. ALL UTILITY WORK PERFORMED WITHIN RIGHT-OF-WAY SHALL BE PERFORMED BY A CONTRACTOR LICENSED BY THE DPW AND OBTAIN A PERMIT FOR SUCH WORK FROM THE DPW AND MASSDOT, IF NEEDED.
- 4. ALL DEBRIS SHALL BE REMOVED FROM THE SITE AND DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. 5. A DUST EMISSION CONTROL PLAN SHALL BE DEVELOPED AND IMPLEMENTED BY THE CONTRACTOR IF CONDITIONS
- WARRANT. . CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING ALL UTILITIES AS SHOWN ON THESE PLANS IN ACCORDANCE WITH THE APPROPRIATE UTILITY COMPANY SPECIFICATIONS. ALL UTILITY CONSTRUCTION SHALL CONFORM TO THE APPROPRIATE UTILITY COMPANY STANDARDS FOR CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING SPECIFICATIONS OF MATERIALS AND INSTALLATION PROCEDURES AND INSTALL IN ACCORDANCE WITH APPLICABLE REGULATIONS.
- 7. THE CONTRACTOR IS RESPONSIBLE TO CONTACT AND DETERMINE, COORDINATE AND SCHEDULE ALL NECESSARY INSPECTIONS AND MONITORING WITH ALL APPROPRIATE UTILITY COMPANIES.
- 8. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING AND PAYING FOR ANY PERMITS AND/OR CONNECTION FEES REQUIRED TO PERFORM THE WORK. 9. ALL ELEVATIONS SHOWN ARE IN REFERENCE TO THE PROJECT BENCHMARK AND MUST BE VERIFIED BY THE
- GENERAL CONTRACTOR PRIOR TO THE COMMENCEMENT OF CONSTRUCTION.
- 10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SITE RESTORATION AND CLEAN UP UPON COMPLETION OF THE PROJECT.
- 11. WATER AND SEWER TESTING TO CONFORM TO LOCAL DPW REGULATIONS. 12. ALL MECHANICAL JOINTS TO BE MEGALUG SERIES 1100 INSTALLED IN ACCORDING WITH MANUFACTURER
- RECOMMENDATIONS OR APPROVED EQUAL. 13. ALL SEWER SYSTEM MAINS, STRUCTURES AND CONNECTIONS SHALL BE INSTALLED AND INSPECTED IN ACCORDANCE
- WITH THE STANDARDS OF THE TOWN OF SALISBURY, MA WASTEWATER TREATMENT FACILITY. 14. CONTRACTOR TO COORDINATE ALL BUILDING PENETRATIONS AND ROOF LEADER LOCATIONS WITH ARCHITECTURAL DOCUMENTS PRIOR TO CONSTRUCTION.


LANDSCAPE NOTES


- 1. THE CONTRACTOR SHALL LOCATE AND VERIFY THE EXISTENCE OF ALL UTILITIES PRIOR TO STARTING AND LANDSCAPING WORK.
- 2. THE CONTRACTOR SHALL SUPPLY ALL PLANT MATERIALS IN QUANTITIES SUFFICIENT TO COMPLETE THE PLANTING SHOWN ON THE DRAWINGS.
- 3. ALL MATERIAL SHALL CONFORM TO THE GUIDELINES ESTABLISHED BY THE CURRENT AMERICAN STANDARD FOR NURSERY STOCK, PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN.
- 4. PLANTS FURNISHED IN CONTAINERS SHALL HAVE THE ROOTS WELL ESTABLISHED IN THE SOIL MASS AND SHALL HAVE AT LEAST ONE (1) GROWING SEASON. ROOT-BOUND PLANTS OR INADEQUATELY SIZED CONTAINERS TO SUPPORT THE PLANT, MAY BE DEEMED UNACCEPTABLE.
- 5. NO PLANT SHALL BE PUT IN THE GROUND BEFORE GRADING HAS BEEN FINISHED.
- 6. ALL PLANTS SHALL BE INSTALLED AS DETAILED.
- 7. ALL PLANTS SHALL BE WATERED THOROUGHLY TWICE DURING THE FIRST 24-HOUR PERIOD AFTER PLANTING. ALL PLANTS SHALL BE WATERED WEEKLY OR MORE OFTEN, IF NECESSARY DURING THE FIRST GROWING SEASON. 8. FIELD ADJUST ALL PLANTINGS AS NECESSARY TO AVOID CONFLICTS WITH UTILITIES.
- GENERAL CONSTRUCTION NOTES
- 1. THE CONTRACTOR SHALL VERIFY THE PROPOSED LAYOUT WITH ITS RELATIONSHIP TO THE EXISTING SITE SURVEY. THE CONTRACTOR SHALL ALSO VERIFY ALL DIMENSIONS, SITE CONDITIONS, AND MATERIAL SPECIFICATIONS AND SHALL NOTIFY THE OWNER AND ENGINEER OF ANY ERRORS, OMISSIONS OR DISCREPANCIES BEFORE COMMENCING OR PROCEEDING WITH CONSTRUCTION.
- 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS, INSPECTIONS, BONDS, ETC. AND OTHER APPROVAL RELATED ITEMS. NO CONSTRUCTION SHALL COMMENCE UNTIL SUCH PERMITS HAVE BEEN SECURED
- METHODS AND MATERIALS USED IN THE CONSTRUCTION OF IMPROVEMENTS FOR THIS PROJECT SHALL CONFORM TO THE CURRENT CONSTRUCTION STANDARDS AND SPECIFICATIONS OF THE MASSDOT AND THE LOCAL SUBDIVISION REGULATIONS.
- . CONTRACTOR TO CONFIRM AND VERIFY THE VALIDITY, LOCATION, MATERIAL, AND AVAILABILITY TO USE EXISTING UTILITIES ON OR NEAR THE PROJECT SITE PROPERTY. CONTRACTOR TO LOCATE EXISTING UTILITIES AND CONFIRM SAID UTILITIES WITH ALL APPLICABLE MUNICIPALITIES AND UTILITY COMPANIES PRIOR TO ANY CONSTRUCTION. ONCE UTILITIES HAVE BEEN CONFIRMED IN THE FIELD BY CONTRACTOR AND VERIFIED BY APPLICABLE MUNICIPALITY AND UTILITY COMPANY AND CONNECTION HAS BEEN APPROVED BY ENTITY, ONLY THEN SHALL THI CONTRACTOR CONSTRUCT AND UTILIZE THESE UTILITIES. CONTRACTOR TO IMMEDIATELY INFORM THE ENGINEER OF RECORD OF ANY DEVIATIONS TO PLANS.
- 5. THE CONTRACTOR SHALL MAKE EXPLORATORY EXCAVATIONS AND LOCATE ANY EXISTING UTILITIES SUFFICIENTLY AHEAD OF CONSTRUCTION TO PERMIT REVISIONS TO PLANS IF NECESSARY. THE EXISTENCE AND/OR LOCATION OF UTILITIES SHOWN ON THESE PLANS MAY BE ONLY APPROXIMATELY CORRECT AND THE CONTRACTOR IS REQUIRED TO TAKE PRECAUTIONARY MEASURES TO PROTECT THE UTILITIES SHOWN HEREON AND ANY OTHER EXISTING UTILITIES NOT OF RECORD OR NOT SHOWN ON THESE PLANS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING, AT HIS EXPENSE, ANY EXISTING UTILITIES DAMAGED DURING CONSTRUCTION.
- . THE CONTRACTOR SHALL NOTIFY OPERATORS WHO MAINTAIN UNDERGROUND UTILITY LINES IN THE AREA OF PROPOSED EXCAVATION AT LEAST THREE WORKING DAYS, BUT NOT MORE THAN TEN WORKING DAYS, PRIOR TO COMMENCEMENT OF EXCAVATION OR DEMOLITION. ALL WATER, GAS, SEWER AND OTHER UTILITIES SHALL BE MAINTAINED AT ALL TIMES DURING CONSTRUCTION.
- RELOCATION OF ANY UTILITIES SHALL BE AT THE OWNERS EXPENSE AND COMPLETED WITH THE UTILITY WORK. THE OWNER SHALL BE NOTIFIED AS TO THE RELOCATIONS REQUIRED PRIOR TO THE START OF CONSTRUCTION.
- 8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING, WITH MATCHING MATERIALS, ANY PAVEMENT, WALKS, CURBS, ETC. THAT MUST BE CUT OR THAT ARE DAMAGED DURING CONSTRUCTION.
- 9. AN APPROVED SET OF PLANS AND ALL APPLICABLE PERMITS MUST BE AVAILABLE AT THE CONSTRUCTION SITE.
- 10. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THESE DOCUMENTS AND SUBSEQUENT ISSUED PLAN REVISIONS. ANY DEVIATIONS FROM THESE DOCUMENTS SHALL REQUIRE NOTIFICATION TO THE ENGINEER PRIOR TO THE COMMENCEMENT OF CONSTRUCTING ANY CHANGE. THE CONTRACTOR WILL BE WORKING AT HIS OR HER OWN RISK
- 11. ALL WATER AND SEWER CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH THE TOWN OF SALISBURY RULES AND REGULATIONS AND INSPECTED AS REQUIRED.
- 12. WORK HOURS SHALL BE 7 AM TO 4 PM, MONDAY THROUGH FRIDAY, AND 7 AM TO NOON ON SATURDAY. EXTENDED HOURS REQUIRE PERMISSION FROM THE DEPARTMENT OF PUBLIC WORKS.
- 13. CONSTRUCTION VEHICLES AND PERSONNEL MUST NOT OBSTRUCT THE PUBLIC SIDEWALKS, NOR INTERFERE WITH SIGHT DISTANCES FOR TURNING VEHICLES.











THIS PLAN WAS RULES AND REC	OR REGISTRY USE ONLY PREPARED IN ACCORDANCE WITH THE GULATIONS FOR RECORDING ADOPTED		
BY THE REGISTE JANUARY 12, 19	ERS OF DEEDS IN 1978 AND AMENDED 988.		
ENGINEER APPROVED	DATE BY THE TOWN OF SALISBURY PLANNING BOARD		
	CATE OF ACTION		
DATE OI	F ENDORSEMENT		
<b>8/2/22</b> R	REV. PER TOWN REVIEW		
DATE [ REVISIONS ]	DESCRIPTION		
PREPARED FOR:			
	KIN REAL ESTATE		
LAR	KIN REAL ESTATE GROUP INC.		
PROJECT:	<u>GROUP INC.</u> 383 MAIN STREET 1EDFIELD, MA 02052		
N PROJECT: <u>159</u> T	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD TAX MAP 28 - LOT 1		
N PROJECT: <u>159</u> T	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD		
N PROJECT: <u>159</u> T	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD TAX MAP 28 - LOT 1		
N project: <u>159</u> T SA	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD TAX MAP 28 - LOT 1 LISBURY, MA. 01952		
N PROJECT: <u>159</u> T SA DATE ISSUED:	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022		
N PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY:	GROUP INC. 383 MAIN STREET EDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E.		
N PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY:	GROUP INC. 383 MAIN STREET EDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E.		
N PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY:	GROUP INC. 383 MAIN STREET EDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E.		
N PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY:	GROUP INC. 383 MAIN STREET EDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E.		
N PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY:	GROUP INC. 383 MAIN STREET EDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E.		
N PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. LINGINEER FOR CIVIL DESIGN S, INC.		
PROJECT: 159 T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. LINGINEER FOR CIVIL DESIGN		
PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT PROFESSIONA CONSULTANT	GROUP INC. 383 MAIN STREET DEDEILD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. UNE 14, 2022 21-10254 WILLIAM HALL, P.E. UNE 14, 2022 LISBURY, MA. 01952 LISBURY, MA. 01952 JUNE 14, 2022 LISBURY, MA. 01952 JUNE 14, 2022 LISBURY, MA. 01952 LISBURY, MA. 01952 JUNE 14, 2022 LISBURY, MA. 01952 LISBURY, MA. 01952 JUNE 14, 2022 LISBURY, MA. 01952 LISBURY, MA. 01952 LISB		
PROJECT: <u>159</u> T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT PROFESSIONA CONSULTANT SURVEY - DESIGN 344 North Mai Andover, MAC	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. UNIC MASSE HANLEY CIVIL NO. 47708 HANLEY CIVIL NO. 47708 CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIV		
PROJECT: 159 T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT PROFESSIONA CONSULTANT CONSULTANT SURVEY - DESIGN 344 North Mai Andover, MAC	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. UNIC MASSE HANLEY CIVIL NO. 47708 HANLEY CIVIL NO. 47708 CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIV		
PROJECT: 159 T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT PROFESSIONA CONSULTANT SURVEY - DESIGN 344 North Mai Andover, MAC	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. WILLIAM HALL, P.E. LENGINEER FOR CIVIL DESIGN 0. 47708 0. 47708 CIVIL No. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL CIVIL NO. 47708 CIVIL		
PROJECT: 159 T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT PROFESSIONA CONSULTANT SURVEY - DESIGN 344 North Mai Andover, MAC	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. LENGINEER FOR CIVIL DESIGN N. 47708 CIVIL N. 47708 CIVIL CIVIL N. 47708 CIVIL CIVIL N. 47708 CIVIL		
PROJECT: 159 T SA DATE ISSUED: PROJECT #: PREPARED BY: PROFESSIONA CONSULTANT PROFESSIONA CONSULTANT SURVEY - DESIGN 344 North Mai Andover, MAC	GROUP INC. 383 MAIN STREET MEDFIELD, MA 02052 BEACH ROAD AX MAP 28 - LOT 1 LISBURY, MA. 01952 JUNE 14, 2022 21-10254 WILLIAM HALL, P.E. WILLIAM HALL, P.E. LENGINEER FOR CIVIL DESIGN N. 47708 CIVIL N. 47708 CIVIL CIVIL N. 47708 CIVIL CIVIL N. 47708 CIVIL		